

Алматы (7273)495-231	Иваново (4932)77-34-06	Магнитогорск (3519)55-03-13	Пермь (342)205-81-47	Тверь (4822)63-31-35
Ангарск (3955)60-70-56	Ижевск (3412)26-03-58	Москва (495)268-04-70	Ростов-на-Дону (863)308-18-15	Тольятти (8482)63-91-07
Архангельск (8182)63-90-72	Иркутск (395)279-98-46	Мурманск (8152)59-64-93	Рязань (4912)46-61-64	Томск (3822)98-41-53
Астрахань (8512)99-46-04	Казань (843)206-01-48	Набережные Челны (8552)20-53-41	Самара (846)206-03-16	Тула (4872)33-79-87
Барнаул (3852)73-04-60	Калининград (4012)72-03-81	Нижний Новгород (831)429-08-12	Саранск (8342)22-96-24	Тюмень (3452)66-21-18
Белгород (4722)40-23-64	Калуга (4842)92-23-67	Новокузнецк (3843)20-46-81	Санкт-Петербург (812)309-46-40	Ульяновск (8422)24-23-59
Благовещенск (4162)22-76-07	Кемерово (3842)65-04-62	Ноябрьск (3496)41-32-12	Саратов (845)249-38-78	Улан-Удэ (3012)59-97-51
Брянск (4832)59-03-52	Киров (8332)68-02-04	Новосибирск (383)227-86-73	Севастополь (8692)22-31-93	Уфа (347)229-48-12
Владивосток (423)249-28-31	Коломна (4966)23-41-49	Омск (3812)21-46-40	Симферополь (3652)67-13-56	Хабаровск (4212)92-98-04
Владикавказ (8672)28-90-48	Кострома (4942)77-07-48	Орел (4862)44-53-42	Смоленск (4812)29-41-54	Чебоксары (8352)28-53-07
Владимир (4922)49-43-18	Краснодар (861)203-40-90	Оренбург (3532)37-68-04	Сочи (862)225-72-31	Челябинск (351)202-03-61
Волгоград (844)278-03-48	Красноярск (391)204-63-61	Пенза (8412)22-31-16	Ставрополь (8652)20-65-13	Череповец (8202)49-02-64
Вологда (8172)26-41-59	Курск (4712)77-13-04	Петрозаводск (8142)55-98-37	Сургут (3462)77-98-35	Чита (3022)38-34-83
Воронеж (473)204-51-73	Курган (3522)50-90-47	Псков (8112)59-10-37	Сыктывкар (8212)25-95-17	Якутск (4112)23-90-97
Екатеринбург (343)384-55-89	Липецк (4742)52-20-81		Тамбов (4752)50-40-97	Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(7172)727-132

Киргизия +996(312)96-26-47

www.getinge.nt-rt.ru | | gtw@nt-rt.ru

Технические характеристики на аксессуары для чистки и дезинфекции компании **GETINGE**

Виды товаров: упаковочные столы, перфорированные лотки для инструментов, защитные чехлы, стойки для одноразовых чехлов, промывочные пистолеты, ленточные дозаторы, тележки, пена для предварительной обработки и др.



2

Instrument reprocessing: Clean zone

On leaving the washer-disinfector, the clean (but not sterile) goods enter the area for sorting, inspection and packing. For these tasks, Getinge has a full range of practical and easy-to-use equipment that can be adapted to suit different requirements and capacities. Mobility, efficiency and ergonomics are features that reflect the accessories in this area. Once sorted, inspected and packaged, the goods are placed in pass-through sterilizers.

Getinge Packing Stations

Smart and ergonomic design

Modern design with easy-to-clean surface and accessories

The Getinge line of inspection and packaging tables is designed with flexibility, ergonomics and functionality in mind. The interplay between smooth edges, robust stainless steel framework and fine work surface promotes improved cleaning and keeps dust away. The tidy elegant design is part of the Smart concept that we have developed for trolleys and loading equipment.



The packaging tables can be used as they are, fixed or height adjustable or it can be equipped with accessories from our range for an individually configured workstation. You can also choose one of our pre-configured workstations: Getinge Smart or T-DOC Packing Stations.



Packaging table

Designed for work with dry goods such as sorting, inspection and packing of various sets of surgical instruments in trays.

- Use as solitaire or equipped with optional accessories frame and accessories
- Optional drawer can be mounted on either side of the packaging table
- Can also be used as a sealer or side table

Packing tables without accessories	Worktop	Art. No. Length 1,200 mm	Art. No. Length 1,600 mm	Art. No. Length 1,800 mm	Art. No. Length 2,000 mm
Fixed height 900 mm	HP Core material	6003001109	6003001108	6003001110	6003001111
Fixed height 900 mm	Stainless steel	6003001113	6003001112	6003001114	6003001115
Height adjustable, 795–1,295 mm, 230 V / 50–60 Hz	HP Core material	6003001117	6003001116	6003001118	6003001119
Height adjustable, 795–1,295 mm, 230 V / 50–60 Hz	Stainless steel	6003001121	6003001120	6003001122	6003001123

Pre-Configured Packing Stations

Using the flexible system Getinge has configured these Packing Stations for customized solutions using practical designed accessories for many working methods.



Getinge Smart Packing Station

- High Pressure Laminate (HPL) or stainless steel table top, 2,000x800 mm
- Height adjustable (795–1,295 mm) or fixed height (900 mm)
- Accessories frame 2,000 mm
- Drawer unit with one drawer included, stainless with solid front
- Two small trays, 150x220 mm
- Two medium trays, 310x220 mm
- Two large trays, 250x350 mm
- Lamp holder



T-DOC Station

- High Pressure Laminate (HPL) or stainless steel table top, size 2,000x800 mm
- Height adjustable (795–1,295 mm) or fixed height (900 mm)
- Accessories frame 2,000 mm
- Drawer unit with one drawer included, stainless with solid front
- Small tray, 150x220 mm
- Medium tray, 310x220 mm
- Large tray, 250x350 mm
- Scanner holder
- Tarifold holder incl. 10 plastic pockets.
- Computer holder
- Screen holder
- Printer holder, small
- Lamp holder

Description	Worktop	Art. No. Fixed height	Art. No. Height adjustable
T-DOC Station	HP Core material	6003001100	6003001101
T-DOC Station	Stainless steel	6003001102	6003001103
Getinge Smart Packing Station	HP Core material	6003001104	6003001105
Getinge Smart Packing Station	Stainless steel	6003001106	6003001107

Accessories

Trays and shelves used for placement of scanners, printers, binders and other items necessary for the daily work, are attached to the frame with hooks for easy handling and rearrangement. Holders for screen and inspection lamp are attached to the frame with screw clamps to keep them in place in a safe way. The accessories are made of stainless steel and are powder coated for easy to keep clean surfaces



Accessories frame



Tray small



Tray medium



Tray large



Screen holder



Tarifold holder



Scanner holder



Computer holder



Printer holder



Drawer stainless steel



Lamp holder

	Art. No.	Description
1	6003001130	Accessories frame 1,200 mm
1	6003001131	Accessories frame 1,600 mm
1	6003001132	Accessories frame 1,800 mm
1	6003001133	Accessories frame 2,000 mm
2	6003001134	Tray small, 150x219 mm
3	6003001135	Tray medium, 310x219 mm
4	6003001136	Tray large, 250x349 mm
5	6003001137	Screen holder
6	6003001138	Tarifold holder incl. 10 pockets
7	6003001139	Scanner holder
8	6003001140	Computer holder
9	6003001141	Printer holder, small
10	6003001142	Drawer stainless steel
11	6003001144	Lamp holder

Linen inspection & folding table



Table for inspection and folding of linen. The tabletop is made of a high pressure (HP) core material in a soft white color and is equipped with a LED illuminated inspection surface. The generous size of the table allows comfortable work with large dressing sheets. Work can be carried out comfortably either standing or sitting. The frame is made of polished stainless steel. 100–240 V / 50/60 Hz.

Art. No.	Inspection panel	Size (L×W×H)
6003000680	900×1,000 mm	2,000×1,250×900 mm



Tape dispenser

This dispenser for sterilizer tape holds two reels of tape. The heavy-duty bottom plate, fitted with anti-slip rubber, prevents the dispenser from slipping when tape is torn off. Made of high quality coated steel for long use.

Art. No.	Size (L×W×H)
561570701	260×60×120 mm



Paper-dispensing trolley

Movable trolley, for storing of 4 different sizes of sterilizing wrapping paper sheets at the packing stations. The trolley is made of stainless steel tubes and is equipped with 4 pivoting ball bearing rubber wheels, two of which are equipped with brakes.

Art. No.	Size (L×W×H)
6003000685	1,416×718×995 mm



Cutting device

These roll dispensers can be used for both storage and cutting of clear-view packaging materials on rolls with a maximum diameter of approximately 220 mm. They are available in three different lengths, for wall or tabletop use. The sliding-action knife is completely built into the housing to prevent injury. Extra knives are available as spare parts.

Art. No.	Description	Size (L×W×H)
6003000308	Cutting device, L=600 mm	600×330×170 mm
6003000309	Cutting device, L=900 mm	900×330×170 mm
6003000310	Cutting device, L=1200 mm	1,200×330×170 mm
6003000311	Holder for wall fixation	
6003000480	Cutting head	



Adjustable chair

Ergonomical chairs, available in Standard and Special models. The seat and backrest of the Standard model are upholstered with black, easy-to-clean vinyl. The Special model is upholstered with an easy-to-clean fabric that “breathes”. On both models, the backrest and seat are adjustable in height and depth. The adjustment controls are located on the right-hand side of the seat. A footrest made of durable black polyamide is mounted on the gas-filled stem. Other surfaces are coated with non-porous black lacquer that provides good chemical resistance and hardness. The chair is delivered with castors for hard floors.

Art. No.	Description	Height adjustment
561528701	Adjustable chair, special	570–820 mm




Magnifying lamp

High quality magnifying lamp, suitable for inspecting delicate instruments. The fully adjustable arm enables the user to adjust the magnifying lens to any preferred angle. Delivered with a clamp for affixing to the table. A cover is included for the magnifying lens to protect from dust and to prevent it from inadvertently acting as a burning glass.

It has a circular energy-saving lamp that surrounds the magnifying lens. This provides effective lighting without annoying heat. The viewing field is 127 mm.

Inspection lamp with EUR plug Art. No.	Inspection lamp with UK 3-pin plug Art. No.	Description	Voltage
6003000750	6003000751	Magnifying lamp, standard	220–230 V / 50Hz



Flexible storage trolleys & accessories

A range of convenient and flexible storage trolleys suitable for every facility. Each trolley can be tailor-made to suit every special need, yet with flexibility to adapt as needs change. Simply choose one of the three trolley models, then select any of the many optional accessories from the range and hook them on the trolley. You can now load the trolley to serve as convenient, dust-free storage or wheel it to the point of use.

1. Single-sided mobile modular trolley with hooks for the transport and storage of baskets and utility shelves. Designed with 8 hooks, for a capacity of four (4) accessories. This trolley is made of stainless steel and equipped with four (4) swivel wheels 2 with brakes.
2. Modular trolley for transport and storage of baskets and utility shelves. The trolley is equipped with hooks on two sides, enabling double access to the utilities in the load. Designed with 16 hooks for a capacity of eight (8) accessories. Made of stainless steel and equipped with four (4) swivel wheels, 2 with brakes.
3. Double-sided trolley with a central compartment for storage of baskets, accessories and containers. The trolley offers numerous possibilities for modular arrangement. Designed with 16 hooks for a capacity of eight (8) accessories and 5 shelves in the central compartment. Made of stainless steel and equipped with four (4) swivel wheels, 2 of them with brakes.

	Art. No.	Description	Size (L×W×H)
1	5618618	Single-sided	600×480×1,550 mm
2	5618615	Double-sided	600×600×1,550 mm
3	5618625	Double-sided with shelves	600×1,150×1,550 mm



	Art. No.	Description	Size (L×W×H)
1	5618488	Plastic bin 3 liters, blue	235×145×130 mm
2	5618489	Plastic bin 1 liter, red	165×105×75 mm
3	5618430	Shelf for plastic boxes/bins, 2 levels. Capacity: lower 4×3 liters & upper 6×1 liter	600×200×300 mm
4	5618435	Shelf for plastic boxes/bins. Capacity: 6×1 liter	600×180×150 mm
5	5618649	Wire basket	600×400×150 mm
6	5618652	Basket with front opening for easy access to contents	600×400×300 mm
7	5618418	Shoe rack. Capacity: 6 pairs	600×230×170 mm
8	5618416	Solid shelf for storage	600×300×150 mm
9	5618638	Wire basket	600×150×150 mm
10	5618648	Wire basket	600×300×300 mm
11	5618411	Wire shelf	600×300×150 mm



Dispenser for Sterile Baskets

Dispenser in self-supporting and hygienic design, made of high-quality stainless steel. Closed base plate folded on all sides. Installed on top is a closed spring case with a height-adjustable closed platform with continuous upstand and ball bearing platform guide. Consistent output height thanks to manually adjustable stainless steel tension spring system. Four massive polymer corner bumpers, of which two at the upper corners of the structure that serve as bumpers and protect the equipment on all sides as well as building-side walls from being damaged, with integrated, ergonomically-shaped push bars. Dispenser runs on 4 swivel casters of which 2 with total locks, \varnothing 4.9" (125 mm). Load capacity: approx. 120 kg.


Art. No.	Description	Size (L×W×H)
6003000205	Dispenser for Sterile Baskets	802×715×899 mm



Table trolleys

Multi-purpose ergonomic trolleys suitable for internal transports or temporary utility space. Made of all-welded chrome-plated steel tubing with handlebars. Top and bottom shelves are made of pressed stainless steel with a beaded edge. Fitted with four 125 mm anti-static wheels for easy handling.

Art. No.	Description	Wheel diameter	Size (L×W×H)	Shelf size (L×W)
6003000682	Table trolley	125 mm	1,080×550×800 mm	950×550 mm
6003000681	Instrument trolley	75 mm	640×400×850 mm	600×400 mm



3

Instrument reprocessing: Sterile zone

On completion of the sterilization process, the sterilizers are unloaded with Getinge's ergonomic, user-friendly equipment. The goods are then further transported to sterile storage or directly to the point of use. Whatever the type of goods carrier and transport, Getinge has the right equipment. All of these products will be found in the next chapter.



Basket rack

SPRI

Single or double basket racks for Getinge's SPRI modular wire baskets in sterile storage and/or for pre-storage of clean packed goods. The rack is designed as an open unit to promote aeration of sterilized goods and to make inspection of stored goods as easy as possible.

Baskets are loaded and unloaded by conveniently sliding them on rigid, horizontal guide-rails, consisting of 50×20 mm steel profiles. The single rack is a free-standing section that holds 7 baskets. The double rack consists of two single sections back to back, i.e. holding 14 baskets.

Single rack			Double rack		
Art. No.	Sections	Size (L×D×H)	Art. No.	Sections	Size (L×D×H)
470467271	2×7	1,245×425×1,775 mm	470467371	2×2×7	1,245×425×1,775 mm
470467272	3×7	1,840×425×1,775 mm	470467372	3×2×7	1,840×425×1,775 mm
470467273	4×7	2,440×425×1,775 mm	470467373	4×2×7	2,440×425×1,775 mm
470467274	5×7	3,035×425×1,775 mm	470467374	5×2×7	3,035×425×1,775 mm
470467275	6×7	3,630×425×1,775 mm	470467375	6×2×7	3,630×425×1,775 mm



Wire storage shelf

Modular-built, free-standing shelf unit for storage of clean linen, instruments, packing material or sterilized goods, including disposables. Each unit has five shelves that are designed as a wire construction, allowing good air circulation and at the same time permitting easy inspection of the goods. The wire shelves are made of special steel, chromium-plated and surface-treated with clear epoxy varnish. The special finish makes cleaning easy. The shelf unit is easy to assemble on site and all parts fit well. The shelf unit can also be used as a mobile storage unit with optional Ø 125 mm castors.

455 mm depth – Basic module 5 shelves		610 mm depth – Basic module 5 shelves	
Art. No.	Size (W×D×H)	Art. No.	Size (W×D×H)
478728870	610×455×1,895 mm	561737570	610×610×1,895 mm
478728871	914×455×1,895 mm	561737571	914×610×1,895 mm
478728872	1,220×455×1,895 mm	561737572	1,220×610×1,895 mm
478728873	1,524×455×1,895 mm	561737573	1,524×610×1,895 mm
478728874	1,830×455×1,895 mm	561737574	1,830×610×1,895 mm

Art. No.	Description
464010580	Castor, non-lockable, 1 pc
464010581	Castor, lockable, 1 pc



Getinge Smart Open Distribution Trolley (DTO)



SPRI

DIN

ISO

Getinge DTO is an open distribution trolley as well as a mobile storage unit for wire baskets and containers. The open design makes viewing and picking of individual packs very easy. Goods can be loaded and unloaded from both sides of the trolley. Shelves and baskets can be pulled out halfway for easier access and the trolley is easily secured for safe transport.

Getinge Smart Open Distribution Trolleys are available in single or double versions of each model: three models configured for standard loads, delivered with guides for baskets, shelves for containers or mixed. Furthermore there is one base model that can be individually configured, where guides are specified and ordered separately for each customer's individual configuration of a mixed load of shelves and/or baskets. The flexible placement of support guides and shelves maximizes utilization of the DTO.

The high-quality swivel casters (two of which are lockable) enable easy to moving and maneuvering even when the trolley is fully loaded. These trolleys are designed for cleaning and disinfection in an automatic washer-disinfector.

DTO Single

Type of load	Description	Art. No.	Max load	Dimensions (L×W×H)
Baskets	DTO single SPRI, 10 low or 5 high	564718170	85 kg	736×429×1,577 mm
Mixed	DTO single, 2 SPRI high/3 shelves	564718370	85 kg	736×429×1,577 mm
Shelves	DTO single, 5 shelves	564718570	85 kg	736×429×1,577 mm
Individually configured	DTO single base without guides	564718070	85 kg	736×429×1,577 mm

DTO Double

Type of load	Description	Art. No.	Max load	Dimensions (L×W×H)
Baskets	DTO double SPRI, 20 low or 10 high	564718770	170 kg	1,416×429×1,577 mm
Mixed	DTO double, 4 SPRI high / 6 shelves	564718870	170 kg	1,416×429×1,577 mm
Shelves	DTO double, 10 shelves	564718970	170 kg	1,416×429×1,577 mm
Individually configured	DTO double base without guides	564718670	170 kgs	1,416×429×1,577 mm

Options

Description	Art. No.	Max load	Dimensions (L×W×H)
Pair of guides SPRI	564718171	18 kg	30×425×50 mm
Pair of guides ISO	564718271	18 kg	30×425×50 mm
Pair of guides and shelf	564718571	18 kg	30×425×50 mm
External transport lock	564718470		
Rack for disposable covers	560181301		
Disposable transparent covers, 50 pcs/roll	560125070		
Reusable cover for DTO single	6003000052		
Reusable cover for DTO single, green	6003000509		
Reusable cover for DTO double	6003000053		



Protective covers

The open distribution trollies DTO and BUS can be fitted with covers for further protection of the goods during transport and storage. The range includes both disposable plastic covers and washable cloth covers. The cloth covers have zippers in two corners so that one long side can be opened for easy access to the goods.

Art. No.	Description
6003000052	Reusable cover for DTO single, blue
6003000059	Reusable cover for DTO single, green
6003000053	Reusable cover for DTO double, blue
560125070	Transparent disposable cover roll, 50 covers/roll
560099601	Reusable cover for BUS, blue (for 1,535 mm height)



Rack for disposable covers

The mobile rack makes it easy to place a disposable cover (560125070) over the BUS trolley. It is made of high-quality stainless steel. All wheels have brakes for convenient handling. The rack is also available in a wall-mounted version. Transparent disposable covers are ordered separately.

Art. No.	Description	Size (L × W × H)
560181301	Rack for disposable covers (BUS)	700×1,000×1,940 mm
560181302	Wall-mounted rack	
560125070	Transparent disposable cover roll, 50 covers/roll	



Getinge Smart Distribution Trolley Hard Cover (DTHC)



SPRI

DIN

ISO

In this trolley, instrument containers and baskets can be grouped together with utensils, linen, disposables and anesthesia material for transport to an internal OR department or to an external hospital or storage facility. The hard cover protects the sterile goods from dust and damage during transport. The trolley can be cleaned/disinfected in a washer-disinfector, as the doors can be opened 260° and fixed in the open position – also very convenient when loading and unloading. The door handle is prepared for a locking device. The DTHC trolley is equipped with two lockable swivel casters and two lockable fixed casters. The caster diameter is 160 mm.

The DTHC trolley has a capacity of 15 DIN STU ½ size, if adding two additional shelves. Three (3) shelves are supplied as standard, optional shelves are available. Each shelf is supplied with two dividers to keep goods in place during transport. An optional pin and tow bar is available to enable towing.

Art. No.	Description	Max load	Size (L × W × H)
564719070	Distribution Trolley Hard Cover (DTHC)	145 kg	1,286×699×1,502 mm
564719071	Wire shelf incl. 2 dividers		
564719075	Pin and tow bar		



Closed transport trolley



SPRI

DIN

ISO

A fully welded durable construction in 18/10 stainless steel. Capacity: 9 STU with 3 solid removable shelves/4 levels (3×3 STU) for great flexibility. Fitted with 2 fixed castors and 2 swivel castors with brakes. Housing of 18/10 stainless steel suitable for cabinet washers. Wheel dimension 160 mm. Doors open to a maximum of 270°.

Art. No.	Description	Size (L × W × H) External	Size (L × W × H) Internal
561720202	Closed transport trolley, lockable	1,220×735×1,450 mm	994×640×1,075 mm

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37

Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Саранск (8342)22-96-24
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97

Тверь (4822)63-31-35
Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(7172)727-132

Киргизия +996(312)96-26-47

www.getinge.nt-rt.ru | gtw@nt-rt.ru