

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37

Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Саранск (8342)22-96-24
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97

Тверь (4822)63-31-35
Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(7172)727-132

Киргизия +996(312)96-26-47

www.getinge.nt-rt.ru | | gtw@nt-rt.ru

Технические характеристики на умные тележки компании **GETINGE**



A trolley with Smart Options has integrated controls in the handle to enable safe use and maneuvering without letting go.



Getinge Smart Trolley range

Ergonomic flow of sterile goods

Smart moves

Different people, different positions

The Getinge Smart concept – a whole new level of convenience

An ergonomic concept

Loading and distribution systems are an important part of the workflow in operating rooms and sterile supply units. Getinge Smart is a line of carefully designed trolleys that takes loading, unloading and distribution of instruments to a whole new level, both in terms of ergonomics and function.

The trolley range is based on an ergonomic concept for efficient loading and distribution of goods with the highest hygiene and usability. Getinge Smart means top-of-the-line functionality in

every detail, from the choice of materials and surfaces to maneuverability, cleanability and ergonomics.

Getinge Smart Trolleys can be equipped with a semi-automatic loading function to reduce manual handling of goods when loading or unloading. The trolleys are a joy to handle. The Power Drive function is an option enabling the user to maneuver the trolley to the desired position with little effort. These optional features assure good ergonomics and give your staff the best possible working conditions.

Smart Loading and Unloading Trolleys

– ergonomic in every detail

Ergonomics is about people being able to work without exertion, strain or injury. It's about moving heavy loads easily. It's about being flexible and understanding that people differ in height and strength – and in the tasks they perform. Our loading and unloading trolleys* are based on a Smart ergonomic concept that covers every detail of loading and distribution.

Smart Loading Trolleys without Smart Options can be washed and disinfected in Getinge 9100-series Cart Washer-Disinfectors (except trolley for Getinge HS33 Sterilizers).

Smart fixed-height trolleys

- Easy to maneuver
- Easy to clean
- Ergonomic



Smart fixed-height trolley for washer-disinfectors



Smart fixed-height trolley for sterilizers

* Containers, shelf racks and basket feeders need to be ordered separately.

Smart Options

A trolley with Smart Options has integrated controls in the handle to enable safe use and maneuvering without letting go.

Semi-automatic loading (SAL)

For automatically loading and unloading sterilizer racks, activated by the control integrated in the handle.

Smart adjustable-height trolleys (AHT)

Adjust to ergonomic working heights to reduce strain for all users.

Power drive (PD)

Significantly reduced strain by enabling moving and maneuvering of trolleys to the desired position with little effort.



Smart adjustable-height trolley for washer-disinfectors



Smart adjustable-height trolley for sterilizers

Smart Loading and Unloading Trolleys

Technical information

Loading trolley for rack – Getinge HS33 Sterilizers

Sterilizer	Item no.	Product description	Max. load
HS33-60L	564710370	Smart FHT HS33-60L	30 kg / 66 lbs
HS33-100L	564710372	Smart FHT HS33-100L	30 kg / 66 lbs



Loading trolley for rack – Getinge 522/533-HC Sterilizers

Sterilizer	Item no.	Product description	Max. load
522/533-HC	564710471	LT FIX FOR 500	130 kg / 287 lbs



Loading trolley for shelf rack – Getinge 66, 67, 633HC and Solsus 66 (ST001) Sterilizers

Full-length load carrier

Sterilizer	Item no.	Product description	Max. load	Length load carrier
HS/GE 6606, 633-26"	6020720670	Smart FHT 66/67x06/13HL/633-07	200 kg / 440 lbs	640 mm / 25.2 in
HS/GE 6610, 633-39" GSS6710, ST001-10	6020720672	Smart FHT 66/67x10/20HL/633-10	200 kg / 440 lbs	990 mm / 38.97 in
HS/GE 6613, 633-51" GSS6713, ST001-13	6020720674	Smart FHT 66/67x13/633-13	200 kg / 440 lbs	1,290 mm / 50.78 in
HS/GE 6617, GSS6717, ST001-17	6020720676	Smart FHT 66/67x17	200 kg / 440 lbs	1,680 mm / 6.14 in



Half-length load carrier – Two load carriers for full sterilizer load

Sterilizer	Item no.	Product description	Max. load	Length load carrier
HS/GE 6613, 633-51" GSS6713, ST001-13	6020720670	Smart FHT 66/67x06/13HL/633-07	200 kg / 440 lbs	640 mm / 25.2 in
HS/GE 6617, GSS6717, ST001-17	6020720672	Smart FHT 66/67x10/20HL/633-10	200 kg / 440 lbs	840 mm / 33.07 in
HS/GE 6620, GSS6720, ST001-20	6020720672	Smart FHT 66/67x10/20HL/633-10	200 kg / 440 lbs	840 mm / 33.07 in

Getinge Smart Loading and Unloading Trolleys* give you the possibility to choose a solution that really meets your needs in every situation.



Loading trolley for shelf rack – Getinge 66, 67, 633HC and Solsus 66 (ST001) Sterilizers

With Smart Option full-length load carrier

					Smart Options		
Sterilizer	Item no.	Product description	Max. load	Length load carrier	AHT	SAL	PD
HS/GE 6610 GSS6710 ST001-10	6020721472	Smart FHT SAL 66/67x10, 633-10	200 kg / 440 lbs	990 mm / 38.97 in	-	•	-
HS/GE 6613 GSS6713 ST001-13	6020721474	Smart FHT SAL 66/67x13, 633-13	200 kg / 440 lbs	1,290 mm / 50.78 in	-	•	-
HS/GE 6610 GSS6710 ST001-10	6020723072	Smart AHT 66/67/69x10, 633-10	200 kg / 440 lbs	990 mm / 38.97 in	•	-	-
HS/GE 6613 GSS6713 ST001-13	6020723074	Smart AHT 66/67/69x13, 633-13	200 kg / 440 lbs	1,290 mm / 50.78 in	•	-	-
HS/GE 6617 GSS6717 ST001-17	6020723076	Smart AHT 66/67x17	200 kg / 440 lbs	1,680 mm / 66.14 in	•	-	-
HS/GE 6610 GSS6710 ST001-10	6020724072	Smart AHT SAL 6x10/633-10	200 kg / 440 lbs	990 mm / 38.97 in	•	•	-
HS/GE 6613 GSS6713 ST001-13	6020724074	Smart AHT SAL 6x13/633-13	200 kg / 440 lbs	1,290 mm / 50.78 in	•	•	-
HS/GE 6610 GSS6710 ST001-10	6020724572	Smart AHT PD 6x10/633-10	200 kg / 440 lbs	990 mm / 38.97 in	•	-	•
HS/GE 6613 GSS6713 ST001-13	6020724574	Smart AHT PD 6x13/633-13	200 kg / 440 lbs	1,290 mm / 50.78 in	•	-	•
HS/GE 6610 GSS6710 ST001-10	6020725072	Smart AHT SAL PD 6x10/633-10	200 kg / 440 lbs	990 mm / 38.97 in	•	•	•
HS/GE 6613 GSS6713 ST001-13	6020725074	Smart AHT SAL PD 6x13/633-13	200 kg / 440 lbs	1,290 mm / 50.78 in	•	•	•

With Smart Option half-length load carrier – Two load carriers for full sterilizer load

					Smart Options		
Sterilizer	Item no.	Product description	Max. load	Length load carrier	AHT	SAL	PD
HS/GE 6617, GSS6717 ST001-17	6020723072	Smart AHT 66/67/69x10, 633-10	200 kg / 440 lbs	840 mm / 33.07 in	•	-	-
HS/GE 6617, GSS6717 ST001-17	6020724572	Smart AHT PD 6x10/633-10	200 kg / 440 lbs	840 mm / 33.07 in	•	-	•
HS/GE 6620, GSS6720 ST001-20	6020723072	Smart AHT 66/67/69x10, 633-10	200 kg / 440 lbs	990 mm / 38.97 in	•	-	-
HS/GE 6620, GSS6720 ST001-20	6020724572	Smart AHT PD 6x10/633-10	200 kg / 440 lbs	990 mm / 38.97 in	•	-	•

Only for docking to automatic loading system, for shorter footprint

					Smart Options		
Sterilizer	Item no.	Product description	Max. load	Length load carrier	AHT	SAL	PD
HS/GE 6617 GSS6717	6020723176	Smart AHT 66/67x17 HL UN-/L	200 kg / 440 lbs	840 mm / 33.07 in	•	-	-

* Containers, shelf racks and basket feeders need to be ordered separately.

Loading trolley for basket feeder

– Getinge 66, 67 and Solsus 66 (ST001) Sterilizers

The loading trolley together with a basket feeder enable manual loading of baskets into a sterilizer

Sterilizer	Item no.	Product description	Max. load	Basket feeder
HS/GE 6610, GSS6710 ST001-10	6020720672	Smart FHT 66/67x10/20HL/633-10	125 kg / 275 lbs*	564613270CE
HS/GE 6613, GSS6713 ST001-13	6020720674	Smart FHT 66/67x13/633-13	125 kg / 275 lbs*	564613470CE
HS/GE 6617, GSS6717 ST001-17	6020720676	Smart FHT 66/67x17	125 kg / 275 lbs*	564613670CE



With Smart Option

Sterilizer	Item no.	Product description	Max. load	Basket feeder	Smart Options		
					AHT	SAL	PD
HS/GE 6610, GSS6710 ST001-10	6020723072	Smart AHT 66/67/69x10, 633-10	125 kg / 275 lbs*	564613270CE	●	-	-
HS/GE 6610, GSS6710 ST001-10	6020724572	Smart AHT PD 6x10/633-10	125 kg / 275 lbs*	564613270CE	●	-	●
HS/GE 6613, GSS6713 ST001-13	6020723074	Smart AHT 66/67/69x13, 633-13	125 kg / 275 lbs*	564613470CE	●	-	-
HS/GE 6613, GSS6713 ST001-13	6020724574	Smart AHT PD 6x13/633-13	125 kg / 275 lbs*	564613470CE	●	-	●
HS/GE 6617, GSS6717 ST001-17	6020723076	Smart AHT 66/67x17	125 kg / 275 lbs*	564613670CE	●	-	-

*The capacity of the basket is limited to 125 kg / 275 lbs.

Loading trolley for automatic basket loader / unloader

– Getinge 66 and 67 Sterilizers

The loading trolley is used to load / unload an automatic loader and unloader for baskets.
Not possible to dock directly to sterilizer.



With Smart Option

Sterilizer	Item no.	Product description	Max. load	Smart Options		
				AHT	SAL	PD
HS/GE 6610, GSS6710	6020727072	Smart AHT basket 66/67x10 UN-/L	200 kg / 440 lbs	●	-	-
HS/GE 6613, GSS6713	6020727074	Smart AHT basket 66/67x13 UN-/L	200 kg / 440 lbs	●	-	-

Loading trolley for shelf racks – Getinge 69 Sterilizers

Full-length load carrier

Sterilizer	Item no.	Product description	Max. load	Length load carrier
HS/GE 6910	6020720872	Smart FHT 6910	200 kg / 440 lbs	990 mm / 38.97 in
HS/GE 6913	6020720874	Smart FHT 6913	200 kg / 440 lbs	1,290 mm / 50.78 in
HS/GE 6915	6020720875	Smart FHT 6915	210 kg / 462 lbs	1,530 mm / 60.23 in



Loading trolley for shelf racks – Getinge 69 Sterilizers

With Smart Option full-length load carrier

Smart Options

Sterilizer	Item no.	Product description	Max. load	Length load carrier	AHT	SAL	PD
HS/GE 6910	6020721672	Smart FHT SAL 6910	200 kg / 440 lbs	990 mm / 38.97 in	-	•	-
HS/GE 6913	6020721674	Smart FHT SAL 6913	200 kg / 440 lbs	1,290 mm / 50.78 in	-	•	-
HS/GE 6910	6020723072	Smart AHT 66/67/69x10, 633-10	200 kg / 440 lbs	990 mm / 38.97 in	•	-	-
HS/GE 6913	6020723074	Smart AHT 66/67/69x13, 633-13	200 kg / 440 lbs	1,290 mm / 50.78 in	•	-	-
GE 6915	6020723075	Smart AHT 6915	210 kg / 462 lbs	1,530 mm / 60.23 in	•	-	-
HS/GE 6910	6020724072	Smart AHT SAL 6x10/633-10	200 kg / 440 lbs	990 mm / 38.97 in	•	•	-
HS/GE 6913	6020724074	Smart AHT SAL 6x13/633-13	200 kg / 440 lbs	1,290 mm / 50.78 in	•	•	-
HS/GE 6610	6020724572	Smart AHT PD 6x10/633-10	200 kg / 440 lbs	990 mm / 38.97 in	•	-	•
HS/GE 6613	6020724574	Smart AHT PD 6x13/633-13	200 kg / 440 lbs	1,290 mm / 50.78 in	•	-	•
GE 6915	6020724575	Smart AHT PD 6915	210 kg / 462 lbs	1,530 mm / 60.23 in	•	-	•
HS/GE 6910	6020725072	Smart AHT SAL PD 6x10/633-10	200 kg / 440 lbs	990 mm / 38.97 in	•	•	•
HS/GE 6913	6020725074	Smart AHT SAL PD 6x13/633-13	200 kg / 440 lbs	1,290 mm / 50.78 in	•	•	•
GE 6915	6020725075	Smart AHT SAL PD 6915	210 kg / 462 lbs	1,530 mm / 60.23 in	•	•	•

With Smart Option half-length load carrier – Two load carriers for full sterilizer load

Options

Sterilizer	Item no.	Product description	Max. load	Length load carrier	AHT	SAL	PD
HS/GE 6917	6020723072	Smart AHT 66/67/69x10, 633-10	200 kg / 440 lbs	840 mm / 33.07 in	•	-	-

Loading trolley for shelf racks – Getinge 69 GEB Sterilizers

Load carrier Getinge Shelf Rack, loading height 1,100 mm / 40.30 in.
Possible to dock to sterilizer.



With Smart Option full-length load carrier

Smart Options

Sterilizer	Item no.	Product description	Max. load	Load length carrier	AHT	SAL	PD
GEB 6910	6020726072	Smart AHT GEB 6910	200 kg / 440 lbs	990 mm / 38.97 in	●	-	-
GEB 6913	6020726074	Smart AHT GEB 6913	200 kg / 440 lbs	1,290 mm / 50.78 in	●	-	-
GEB 6915	6020726075	Smart AHT GEB 6915	210 kg / 462 lbs	990 mm / 38.97 in	●	-	-

Loading trolley for shelf racks – Getinge 610 Sterilizers

Load carrier Getinge Shelf Rack. Possible to dock to sterilizer.

Full-length load carrier

Sterilizer	Item no.	Product description	Max. load	Length load carrier
GSS61010	6023373272	Smart Load Trolley FHT 61010/21	265 kg / 585 lbs	1,000 mm / 39.37 in
GSS61014	6023373274	Smart Load Trolley FHT 61014	265 kg / 585 lbs	1,360 mm / 53.54 in
GSS61015	6023373275	Smart Load Trolley FHT 61015	265 kg / 585 lbs	1,500 mm / 59.05 in


Half-length load carrier – Two load carriers for full sterilizer load

Sterilizer	Item no.	Product description	Max. load	Length load carrier
GSS61014	6023373276	Smart Load Trolley FHT 61014/15HL	265 kg / 585 lbs	640 mm / 25.2 in
GSS61015	6023373276	Smart Load Trolley FHT 61014/15HL	265 kg / 585 lbs	710 mm / 27.9 in
GSS61021	6023373272	Smart Load Trolley FHT 61010/21	265 kg / 585 lbs	1,000 mm / 39.37 in



Loading trolleys for washer-disinfectors

Load carrier Getinge Wash Cart.* Possible to dock to 8666/8668/86T/88T/CM320 Washer-Disinfectors and loading equipment for Automation System 2.0.



With Smart Option single-end loading

Washer-Disinfector	Item no.	Product description	Max. load	Smart Options		
				AHT	SAL	PD
8666/8668/86T/88T/CM320	6020720271	Smart AHT WD 8666/8668/86T/88T/CM320	165 kg/363 lbs	•	-	-

Single-end loading

Washer-Disinfector	Item no.	Product description	Max. load
8666/8668/86T/88T/CM320	6020720171	Smart FHT WD 8666/8668/86T/88T/CM320	165 kg/363 lbs

Double-end loading

Washer-Disinfector	Item no.	Product description	Max. load
8666/8668/86T/88T/CM320	6020720172	Smart FHT WD DH 8666/8668/86T/88T/CM320	165 kg/363 lbs



*Wash cart needs to be ordered separately.

Smart Distribution Trolleys

– for ergonomic transport efficiency

With Getinge Smart Distribution Trolleys you always get safe, efficient distribution. The hard-cover model protects sterile goods from dust and damage. The open trolley model gives you a mobile unit for modular baskets and containers.

Smart Distribution Trolley Hard-Cover (DTHC)

In this trolley, instrument containers and baskets can be grouped together with utensils, linen, disposables and anesthesia material for transport to an internal OR department or to an external hospital or storage facility. The hard cover protects the sterile goods from dust and damage during transport.

- Simple and safe transport
- Ergonomic
- Can be washed and disinfected in Getinge Cart Washer-Disinfector



Getinge Smart Distribution Trolleys are designed for the effective, ergonomic transport of baskets and/or containers. They are used in packing areas in sterile zones, and for transport to and from soiled zones throughout the hospital.



The doors can be opened 260° and fixed in the open position – very convenient when loading and unloading. The door handle can be fitted with an optional lock. Shelf supports can be moved, which maximizes utilization of the trolley.



A maximum of five shelves can be used. Three are supplied as standard. Additional shelves are available (optional) for extra storage space. Each shelf is supplied with two dividers to keep goods in place during transport.



To facilitate maneuvering, the trolley is equipped with two lockable swivel casters and two rigid casters. The caster diameter is 160 mm. An optional pin and tow bar is available to enable towing.

Smart Distribution Trolley Hard-Cover (DTHC)

Item no.	Capacity	Options (Item no.)	Max. load	Trolley dimensions (L x W x H)
564719070	6 or 8 SPRI / ISO high* or 15 DIN StU ½ size**	564719071 wire shelf incl. 2 dividers 564719075 pin and tow bar	145 kg / 319 lbs	1,286 x 699 x 1,502 mm / 50.63 x 27.52 x 59.13 in

* SPRI high: 585 x 395 x 195 mm / 23.03 x 15.55 x 7 x 67 in. ISO high: 600 x 400 x 195 mm / 23.62 x 15.75 x 7 x 67 in (for 8 SPRI / ISO, order one extra shelf)

** DIN StU ½ size: 575 x 280 x 135 mm / 22.64 x 11.02 x 5.31 in

Smart Distribution Trolleys Open



Smart Distribution Trolley Open (DTO)

This trolley is a mobile storage unit for modular baskets and containers. The open design makes viewing and picking of individual packs very easy. Shelves and baskets are easily secured for safe transport.

- Easy to load and unload
- Saves storage space
- Silent and easy to maneuver
- Can be washed and disinfected in Getinge Cart Washer-Disinfector



The flexible placement of support guides and shelves maximizes trolley utilization.



Trolleys can be loaded and unloaded from both sides. Shelves and baskets can be pulled out halfway for easier access.



The high-quality swivel casters (two of which are lockable) enable easy moving and maneuvering even when the trolley is fully loaded.




DTO double (shelves)
Item no.: 564718970



DTO single (mixed)
Item no.: 564718370



DTO single SPRI (5 high)
Item no.: 564718170
(Baskets not included)



DTO single (shelves)
Item no.: 564718570
(Container not included)

Getinge Smart Distribution Trolleys Open are available in single or double versions of each model:

- Three models configured for standard loads. Delivered with guides for baskets, shelves for containers or mixed
- One base model that can be individually configured. For the base model, guides are specified and ordered separately for customers' individual configuration of a mixed load of shelves and /or baskets.

Technical data – Smart Distribution Trolley Open (DTO)

DTO single

Type of load	Item no.	Product description	Max. load	Dimensions (L x W x H)
Baskets	564718170	DTO single SPRI, 10 low or 5 high	85 kg/187 lbs	736 x 429 x 1577 mm / 28.98 x 16.89 x 62.09 in
Mixed	564718370	DTO single, 2 SPRI high / 3 shelves	85 kg/187 lbs	736 x 429 x 1577 mm / 28.98 x 16.89 x 62.09 in
Shelves	564718570	DTO single, 5 shelves	85 kg/187 lbs	736 x 429 x 1577 mm / 28.98 x 16.89 x 62.09 in
Individually configured	564718070	DTO single base without guides	85 kg/187 lbs	736 x 429 x 1577 mm / 28.98 x 16.89 x 62.09 in

DTO double

Type of load	Item no.	Product description	Max. load	Dimensions (L x W x H)
Baskets	564718770	DTO double, SPRI, 20 low or 10 high	170 kg/374 lbs	1,416 x 429 x 1,577 mm / 55.75 x 16.89 x 62.09 in
Mixed	564718870	DTO double, 4 SPRI high / 6 shelves	170 kg/374 lbs	1,416 x 429 x 1,577 mm / 55.75 x 16.89 x 62.09 in
Shelves	564718970	DTO double, 10 shelves	170 kg/374 lbs	1,416 x 429 x 1,577 mm / 55.75 x 16.89 x 62.09 in
Individually configured	564718670	DTO double base without guides	170 kg/374 lbs	1,416 x 429 x 1,577 mm / 55.75 x 16.89 x 62.09 in

Options for single and double

	Item no.	Product description	Max. load	Dimensions (L x W x H)
	564718171	Pair of guides SPRI	18 kg/39 lbs	30 x 425 x 50 mm / 1.18 x 16.73 x 1.99 in
	564718771	Pair of guides ISO	18 kg/39 lbs	30 x 425 x 50 mm / 1.18 x 16.73 x 1.99 in
	564718571	Pair of guides and shelf	18 kg/39 lbs	30 x 425 x 50 mm / 1.18 x 16.73 x 1.99 in
	564718470	External transport lock		
	560181301	Rack for disposable covers		
	560125070	Disposable transparent covers, 50 pcs/roll		
	6003000052	Reusable cover for DTO single		
	6003000053	Reusable cover for DTO double		

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37

Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Саранск (8342)22-96-24
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97

Тверь (4822)63-31-35
Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(7172)727-132

Киргизия +996(312)96-26-47

www.getinge.nt-rt.ru | gtw@nt-rt.ru